


OLYMPUS GIF TYPE N180





Unparalleled performance in a super-slim design reduces patient discomfort and maximizes efficiency

The world's first gastrointestinal videoscope to break the 5 mm barrier, the GIF-N180 is a marvel of compact design.

The entire insertion tube measures just 4.9 mm in diameter, resulting in improved insertability. Patient discomfort is reduced, and operator comfort enhanced. Above all, image performance is excellent.

High image quality and super-slim design

Despite its super-slim 4.9 mm diameter, the GIF-N180 delivers superb image quality, clearly rendering subtle textures of the mucosa and fine capillaries inside the upper gastrointestinal tract. This scope also features a 2.0 mm instrument channel, allowing a variety of treatment options.




GIF-160

Slimsight

Insertion possible with minimal or even no sedation

The super-slim design of the GIF-N180 is expected to make it possible to perform routine examinations with little or no sedation, without causing significant discomfort for patients.

Streamlined workflow shortens examination time



Reduction in patient recovery time will contribute to improvements in daily procedural efficiency.

Purpose-designed insertion tube characteristics for transnasal endoscopy



The working length of the GIF-N180 has been designed with an appropriate degree of stiffness to prevent looping and ensures that the scope can reach the duodenal bulb when inserted transnasally.



Main Features

- Super-slim 4.9 mm diameter along the entire insertion tube offers unprecedented insertion capability that should enhance patient comfort.
- Excellent image quality with outstanding clarity and sharpness.
- NBI function is available in combination with the CV-180 and CLV-180.
- Air/Water nozzle at the distal end keeps the view field clear at all times.
- A 2.0 mm diameter instrument channel enables the use of a number of endo therapy accessories.
- 1,100 mm working length has appropriate stiffness to ensure excellent insertion capability and maneuverability.
- 2-way angulation (210° up and 120° down) for efficient examination of the upper gastrointestinal tract.
- 120° field of view enables accurate observation of a wide area.
- Ergonomically designed grip enhances scope maneuverability while easy-to-access controls and user programmable switches improve operability.
- Fully compatible with CV-180/160/140.

 Scope ID function stores individual scope information in the built-in memory chip and displays it on the monitor, facilitating endoscopy suite management.




Start-up display



Specifications

Optical System	Field of view	120°	
	Direction of view	Forward viewing	
	Depth of field	3 to 100 mm	
Distal End	Outer diameter	4.9 mm	
Insertion Tube	Outer diameter	4.9 mm	
Bending Section	Angulation range	Up 210°, Down 120°	
Working Length		I 100 mm	
Total Length		1420 mm	
Instrument Channel	Inner diameter	2 mm	
	Minimum visible distance	2 mm from the distal end	
	Endo therapy accessory entrance/exit position in field of view		
High-Frequency Compatibility		NO	





Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.



OLYMPUS MEDICAL SYSTEMS CORP.
Shinjuku Monolith, 3-1 Nishi-Shinjuku 2-chome, Shinjuku-ku, Tokyo 163-0914, Japan OLYMPUS MEDICAL SYSTEMS EUROPA GMBH
Postfach 10 49 08, 20034 Hamburg / Wendenstrasse 14-18, 20097 Hamburg, Germany OLYMPUS AMERICA INC.
3500 Corporate Parkway PO Box 610, Center Valley, PA 18034-0610, U.S.A.
OLYMPUS LATIN AMERICA, INC.
6100 Blue Lagoon Drive, Suite 390 Miami, Florida 33126-2087, U.S.A.
KEYMED LTD.
Kewmed House, Stock Road, Southend-on-Sea, Essex SS2 5QH, England

OLYMPUS SINGAPORE PTE LTD.
491B River Valley Road #12-01/04,Valley Point Office Tower,Singapore 248373
OLYMPUS HONG KONG AND CHINA LIMITED
Room 1520-1527, Ocean Centre, 5 Canton Road, Tsimshatsui, Kowloon, Hong Kong
OLYMPUS (BEIJING) SALES & SERVICE CO.,LTD.
Room. 1202, NCI Tower, A12 Jianguomenwai Avenue Chaoyang District Beijing, 100022, China
OLYMPUS MOSCOW LIMITED LIABILITY COMPANY
117071, Moscow, Malaya Kaluzhskaya 19, bid. 1, fl.2, Russia
OLYMPUS AUSTRALIA PTY LTD